


OFFERTA PROMOZIONALE

Cytoskeleton Actin Proteins & Kits & Signal Seekers

15% off

La Società Italiana Chimici, in qualità di Distributore della Cytoskeleton Inc. offre uno sconto del 15% su tutti i prodotti presenti sul flyer:



L'offerta promozionale è relativa alle seguenti categorie di prodotti:

- **Phalloidin: Acti Stain**
- **Fluorescent Actins**
- **Proteins & Kits**
- **Signal Seeker™ Ubiquitin Tools**
- **Signal Seeker™ SUMOylation 2/3 Tools**
- **Signal Seeker™ Phosphotyrosine Tools**

CONDIZIONI DI VENDITA:

Prezzi: al netto dell'IVA (22%)

Spese di Trasporto: € 25,00 (per ordini inferiori ad € 500,00)

Consegna: 10 giorni lavorativi dal ricevimento dell'ordine

Validità dell'offerta: fino al 31 Ottobre 2026

Codice Offerta: cyto#4+5-2026

CONTATTARE:

Società Italiana Chimici

tel: +39 06 8818936 - 8800211

e-mail: sales@sichim.com

Cytoskeleton Inc. 2026 Actin Proteins and Kits & Signal Seekers

Actin Proteins and Kits

CAT. NO.	PRODUCT	AMOUNT	Shipping Temp.	Storage on Arrival
AAN02	Anti-Pan Actin Mouse Monoclonal Antibody (Clone 7A8.2.1)	1 x 500 ul	AT	4°C
AAN02-S	Anti-Pan Actin Mouse Monoclonal Antibody (Clone 7A8.2.1)	1 x 125 ul	AT	4°C
AB07-A	Actin protein (biotin, rabbit skeletal muscle)	5 x 20 µg	AT	4°C
AB07-C	Actin protein (biotin, rabbit skeletal muscle)	20 x 20 µg	AT	4°C
AD99-A	Actin protein (bovine cardiac muscle, >99% pure)	1 x 1 mg	AT	4°C
AD99-B	Actin protein (bovine cardiac muscle, >99% pure)	5 x 1 mg	AT	4°C
AKF99-A	Pre-formed actin filaments (rabbit skeletal muscle)	1 x 1 mg	AT	4°C
AKF99-B	Pre-formed actin filaments (rabbit skeletal muscle)	5 x 1 mg	AT	4°C
AKL95-B	Actin protein (rabbit skeletal muscle, >95% pure)	1 x 1 mg	AT	4°C
AKL95-C	Actin protein (rabbit skeletal muscle, >95% pure)	5 x 1 mg	AT	4°C
AKL95-XL	Actin protein (rabbit skeletal muscle, >95% pure)	Large quantities	AT	4°C
AKL99-A	Actin protein (rabbit skeletal muscle, >99% pure)	4 x 250 µg	AT	4°C
AKL99-B	Actin protein (rabbit skeletal muscle, >99% pure)	2 x 1 mg	AT	4°C
AKL99-C	Actin protein (rabbit skeletal muscle, >99% pure)	5 x 1 mg	AT	4°C
AKL99-D	Actin protein (rabbit skeletal muscle, >99% pure)	10 x 1 mg	AT	4°C
AKL99-E	Actin protein (rabbit skeletal muscle, >99% pure)	20 x 1 mg	AT	4°C
AKL99-XL	Actin protein (rabbit skeletal muscle, >99% pure)	Large quantities	AT	4°C
AP05-A	Actin protein (pyrene, rabbit skeletal muscle)	1 x 1 mg	AT	4°C
AP05-B	Actin protein (pyrene, rabbit skeletal muscle)	5 x 1 mg	AT	4°C
APHL99-A	Actin protein (>99% pure): human platelet	2 x 250 µg	AT	4°C
APHL99-C	Actin protein (>99% pure): human platelet	1 x 1 mg	AT	4°C
APHL99-E	Actin protein (>99% pure): human platelet	5 x 1 mg	AT	4°C
APHR-A	Actin protein (rhodamine, human platelet non-muscle)	4 x 10 µg	AT	4°C
APHR-C	Actin protein (rhodamine, human platelet non-muscle)	20 x 10 µg	AT	4°C
APUF01-A	Anti-profilin: rabbit polyclonal	1 x 50 µg	AT	4°C
AR05-A	Actin protein (rhodamine, rabbit skeletal muscle)	5 x 20 µg	AT	4°C

CAT. NO.	PRODUCT	AMOUNT	Shipping Temp.	Storage on Arrival
AR05-B	Actin protein (rhodamine, rabbit skeletal muscle)	10 x 20 µg	AT	4°C
AR05-C	Actin protein (rhodamine, rabbit skeletal muscle)	20 x 20 µg	AT	4°C
AR06-A	HiLyte™ Fluor 488 Labeled (Rabbit Skeletal Muscle, >99% Pure)	5 x 20 µg	AT	4°C
AR06-B	HiLyte™ Fluor 488 Labeled (Rabbit Skeletal Muscle, >99% Pure)	10 x 20 µg	AT	4°C
AR06-C	HiLyte™ Fluor 488 Labeled (Rabbit Skeletal Muscle, >99% Pure)	20 x 20 µg	AT	4°C
AR07-A	Actin: HiLyte™ Fluor 555 Labeled (Rabbit skeletal muscle, >99% pure)	5 x 20 µg	AT	4°C
AR07-B	Actin: HiLyte™ Fluor 555 Labeled (Rabbit skeletal muscle, >99% pure)	10 x 20 µg	AT	4°C
AR07-C	Actin: HiLyte™ Fluor 555 Labeled (Rabbit skeletal muscle, >99% pure)	20 x 20 µg	AT	4°C
AS99-A	Actin protein (chicken gizzard muscle, >99% pure)	1 x 1 mg	AT	4°C
AS99-B	Actin protein (chicken gizzard muscle, >99% pure)	5 x 1 mg	AT	4°C
AT01-A	Alpha-actinin (rabbit skeletal muscle)	2 x 50 µg	AT	4°C
AT01-C	Alpha-actinin (rabbit skeletal muscle)	10 x 50 µg	AT	4°C
BK001	Actin Binding Protein Spin-Down Assay Kit	KIT 30-100 assays	AT	4°C
BK003	Actin Polymerization Biochem Kit	KIT 30-100 assays	AT	4°C
BK005	F-Actin Visualization Kit	KIT 300 slides	AT	4°C
BK013	Actin Binding Protein Spin-Down Assay Biochem Kit: human platelet actin	KIT 30-100 assays	AT	4°C
BK037	G-Actin : F-Actin In Vivo Assay Kit	KIT 30-100 assays	AT	4°C
BSA01-001	General Actin Buffer	1 x 10 ml	AT	4°C
BSA01-010	General Actin Buffer	1 x 100 ml	AT	4°C
BSA02-001	Actin Polymerization Buffer (10x stock)	1 x 2 ml	AT	4°C
BSA04-001	ATP (100mM Stock)	1 x 1 ml	AT	4°C
CF01-A	Cofilin (Human Recombinant)	1 x 100 µg	AT	4°C
CF01-C	Cofilin (Human Recombinant)	4 x 100 µg	AT	4°C
CS-AP07	Pyrene Muscle Actin (bovine cardiac muscle, >99% pure)	1 x 250 µg	AT	4°C
CS-FSC01-A	Fascin-1 Protein: wild-type (Human recombinant)	100 µg	AT	4°C
CS-FSC01-B	Fascin-1 Protein: wild-type (Human recombinant)	1 mg	AT	4°C
CS-MH03	Heavy Meromyosin Protein (HMM Fragment)	1 x 100 µg	AT	4°C
CS-MYS03	Myosin S1 Fragment (Cardiac), Bovine cardiac	1 x 250 µg	AT	4°C
CS-MYS04	Myosin S1 Fragment (Skeletal), Rabbit skeletal	1 x 250 µg	AT	4°C
CS-MYS05	Myosin S1 Fragment (smooth), Chicken gizzard	1 x 250 µg	AT	4°C
CS-TFC02	Skeletal Muscle Thin Filament Complex (Rabbit Skeletal Muscle from psoas tissue)	1 x 1 mg	AT	4°C
CS-TT05	Tropomyosin/Troponin Complex, bovine source, >60% pure	1 x 1 mg	AT	4°C
CS-TT05-XL	Tropomyosin/Troponin Complex, bovine source, >60% pure	1 x 5 mg	AT	4°C

CAT. NO.	PRODUCT	AMOUNT	Shipping Temp.	Storage on Arrival
CS-UPP01	Ultra-Precise HRV C3 Protease (human rhinovirus type 14 3C Protease)	10 x 100 µg	AT	4°C
HPG6-A	Gelsolin (recomb. Human)	4 x 20 µg	AT	4°C
HPG6-B	Gelsolin (recomb. Human)	20 x 20 µg	AT	4°C
MB201	MsrB2 Protein aa: 42-182 (6xHis-tag)	2 x 50 µg	AT	4°C
MB201-XL	MsrB2 Protein aa: 42-182 (6xHis-tag)	1 x 1 mg	AT	4°C
MH01-A	Heavy Meromyosin Protein (Rabbit skeletal muscle)	4 x 50 µg	AT	4°C
MIC01	MICAL-1 Protein Redox-CH domains (6xHis-tag)	2 x 50 µg	AT	4°C
MIC01-XL	MICAL-1 Protein Redox-CH domains (6xHis-tag)	1 x 1 mg	AT	4°C
MXA95	Actin Protein (MICAL-Oxidized): Rabbit Skeletal Muscle (Rabbit Muscle, > 95% Pure)	2 x 250 µg	AT	4°C
MXA95-XL	Actin Protein (MICAL-Oxidized): Rabbit Skeletal Muscle (Rabbit Muscle, > 95% Pure)	1 x 1 mg	AT	4°C
MPAX1	Pyrene Labeled Actin Protein (MICAL-Oxidized): Rabbit Skeletal Muscle (Rabbit Muscle, > 95% Pure)	2 x 250 µg	AT	4°C
MPAX1-XL	Pyrene Labeled Actin Protein (MICAL-Oxidized): Rabbit Skeletal Muscle (Rabbit Muscle, > 95% Pure)	1 x 1 mg	AT	4°C
MY02-A	Myosin Skeletal Muscle	5 x 1 mg	AT	4°C
MY02-B	Myosin Skeletal Muscle	20 x 1 mg	AT	4°C
MY03-A	Myosin Cardiac Muscle	5 x 1 mg	AT	4°C
MY03-B	Myosin Cardiac Muscle	20 x 1 mg	AT	4°C
PHDG1-A	Acti-stain™ 488 phalloidin	1 x 500 µl (300 slides)	AT	4°C
PHDH1-A	Acti-stain™ 555 phalloidin	1 x 500 µl (300 slides)	AT	4°C
PHDN1-A	Acti-stain™ 670 phalloidin	1 x 500 µl (300 slides)	AT	4°C
PHDR1	Rhodamine Phalloidin (14 µM in methanol)	1 x 500 µl	AT	4°C
PR02-A	Profilin 1 (recombinant human no tag)	1 x 100 µg	AT	4°C
PR02-B	Profilin 1 (recombinant human no tag)	1 x 500 µg	AT	4°C
RP01P-A	Arp2/3 Protein Complex (Porcine brain)	2 x 50 µg	AT	4°C
RP01P-B	Arp2/3 Protein Complex (Porcine brain)	6 x 50 µg	AT	4°C
TFC01	Actin Thin Filaments (Bovine cardiac)	1 x 1 mg	AT	4°C
VCG03-A	VCA domain of WASP (GST fusion)	1 x 500 µg	AT	4°C

Signal Seekers

CAT. NO.	PRODUCT	AMOUNT	Shipping Temp.	Storage on Arrival
AAC01-L	Acetyl Lysine Antibody Mouse Monoclonal	2 x 100 µl	AT	4°C
AAC01-S	Acetyl Lysine Antibody Mouse Monoclonal	1 x 25 µl	AT	4°C
AAC02-L	Acetyl-Lysine Antibody Mouse Monoclonal (7B5A1)	2 x 100 µl	AT	4°C
AAC02-beads	Acetyl-Lysine Affinity Beads - AAC02	4 x 500 ul	AT	4°C
AAC02-S	Acetyl-Lysine Antibody Mouse Monoclonal (7B5A1)	1 x 25 ul	AT	4°C
AAC03-L	Acetyl-Lysine Antibody Mouse Monoclonal (19C4B2-1)	2 x 100 µl	AT	4°C
AAC03-beads-L	Acetyl-Lysine Affinity Beads - AAC03	4 x 500 ul	AT	4°C
AAC03-HRP	Acetyl-Lysine-HRP Antibody Mouse Monoclonal (19C4B2-1)	1 x 100 ul	AT	4°C
AAC03-HRP-S	Acetyl-Lysine-HRP Antibody Mouse Monoclonal (19C4B2-1)	1 x 25 ul	AT	4°C
AAC03-S	Acetyl-Lysine Antibody Mouse Monoclonal (19C4B2-1)	1 x 25 ul	AT	4°C
AAC04-beads-A	Acetyl-Lysine Affinity Beads - AAC04	4 x 500 µl	AT	4°C
AACX1	Chemically Acetylated Bovine Serum Albumin (BSA)	2 x 500 µg	AT	4°C
AACX2	Tricostatin A (TSA) Treated And Untreated Cell Lysates	100 µg treated + 100 µg	AT	4°C
APY03-L	Phosphotyrosine Antibody Mouse Monoclonal 27B10	2 x 100 µl	AT	4°C
APY03-Beads-L	Phosphotyrosine Affinity Beads	4 x 330 µl	AT	4°C
APY03-HRP-L	Phosphotyrosine-HRP Mouse Monoclonal Antibody 27B10	1 x 100 µl	AT	4°C
APY03-HRP-S	Phosphotyrosine-HRP Mouse Monoclonal Antibody 27B10	1 x 25 µl	AT	4°C
APY03-HRP-XL	Phosphotyrosine-HRP Mouse Monoclonal Antibody 27B10	Large Quantities	AT	4°C
APY03-S	Phosphotyrosine Antibody Mouse Monoclonal 27B10	1 x 25 µl	AT	4°C
ASM01-L	SUMO1 Antibody Mouse Monoclonal (Clone 5D8B16)	1 x 100 µl	AT	4°C
ASM01-S	SUMO1 Antibody Mouse Monoclonal (Clone 5D8B16)	1 x 25 µl	AT	4°C
ASM11-Beads-A	SUMOylation 1 Affinity Beads	3 x 400 µl	AT	4°C
ASM23-L	SUMO-2/3 Antibody Mouse Monoclonal (Clone 12F3)	2 x 100 µl	AT	4°C
ASM23-HRP-L	SUMO-2/3-HRP Antibody Mouse Monoclonal (Clone 12F3)	1 x 100 µl	AT	4°C
ASM23-HRP-S	SUMO-2/3-HRP Antibody Mouse Monoclonal (Clone 12F3)	1 x 25 µl	AT	4°C
ASM23-S	SUMO-2/3 Antibody Mouse Monoclonal (Clone 12F3)	1 x 25 µl	AT	4°C
ASM24-L	SUMO-2/3 Antibody Mouse Monoclonal (Clone 11G2)	2 x 200 µl	AT	4°C
ASM24-Beads-A	SUMOylation 2/3 Affinity Beads	2 x 400 µl	AT	4°C
ASM24-S	SUMO-2/3 Antibody Mouse Monoclonal (Clone 11G2)	1 x 150 µl	AT	4°C

CAT. NO.	PRODUCT	AMOUNT	Shipping Temp.	Storage on Arrival
AUB01-L	Ubiquitin Antibody Mouse Monoclonal	2 x 100 µl	AT	4°C
AUB01-HRP-L	Ubiquitin-HRP Antibody Mouse Monoclonal	1 x 100 µl	AT	4°C
AUB01-HRP-S	Ubiquitin-HRP Antibody Mouse Monoclonal	1 x 25 µl	AT	4°C
AUB01-S	Ubiquitin Antibody Mouse Monoclonal	1 x 25 µl	AT	4°C
AUB01-XL	Ubiquitin Antibody Mouse Monoclonal	4 x 500 µl	AT	4°C
BK160-L	Signal-Seeker® Phosphotyrosine Detection Kit	KIT 30 assays	AT	4°C
BK160-S	Signal-Seeker® Phosphotyrosine Detection Kit	KIT 10 assays	AT	4°C
BK161-L	Signal-Seeker® Ubiquitin Detection Kit	KIT 30 assays	AT	4°C
BK161-S	Signal-Seeker® Ubiquitin Detection Kit	KIT 10 assays	AT	4°C
BK162-L	Signal-Seeker® SUMOylation 2/3 Detection Kit	KIT 30 assays	AT	4°C
BK162-S	Signal-Seeker® SUMOylation 2/3 Detection Kit	KIT 10 assays	AT	4°C
BK163-L	Signal-Seeker® Acetyl-Lysine Detection Kit	KIT 30 assays	AT	4°C
BK163-S	Signal-Seeker® Acetyl-Lysine Detection Kit	KIT 10 assays	AT	4°C
BK164	Signal-Seeker® Acetyl-Lysine Detection Kit - AAC03-Beads (30 assays)	KIT 30 assays	AT	4°C
BK165-L	Signal-Seeker® SUMOylation 1 Detection Kit	KIT 30 assays	AT	4°C
BK165-S	Signal-Seeker® SUMOylation 1 Detection Kit	KIT 10 assays	AT	4°C
BLR01-50	BlastR Rapid Lysate Prep Kit	50 purifications	AT	AT
BLR02-50	BlastR Rapid Filtration Kit	50 purifications	AT	AT
BLR03-50	BlastR Lysis/Dilution Buffer Kit	50 lyses	AT	AT
CIG01-beads-10	IgG Control Beads	10 assays	AT	4°C
CIG02-beads-10	Acetyl-Lysine Control Beads	10 assays	AT	4°C
CIG03-beads-12	SUMO1 IP Control Beads	10 assays	AT	4°C
CUB02B-beads-A	Ubiquitination Control Beads	10 assays	AT	4°C
MB201-A	MsrB2 Protein 6xHis	2 x 50 µg	AT	4°C
MB201-XL	MsrB2 Protein 6xHis	1 x 1 mg	AT	4°C
MIC01-A	MICAL-1 Protein 6xHis	2 x 50 µg	AT	4°C
MIC01-XL	MICAL-1 Protein 6xHis	1 x 1 mg	AT	4°C
MXA95-A	MICAL-Oxidized Actin Protein (>95% pure) - Rabbit Skeletal Muscle	2 x 250 µg	AT	4°C
MXA95-XL	MICAL-Oxidized Actin Protein (>95% pure) - Rabbit Skeletal Muscle	1 x 1 mg	AT	4°C
MPAX1-A	MICAL-Oxidized (Pyrene labeled) Actin Protein (>95% pure) - Rabbit Skeletal Muscle	2 x 250 µg	AT	4°C
MPAX1-XL	MICAL-Oxidized (Pyrene labeled) Actin Protein (>95% pure) - Rabbit Skeletal Muscle	1 x 1 mg	AT	4°C
UBA01B-beads	Ubiquitination Affinity Beads	40 rxs	AT	4°C